


**PRACHT®**  
PRO LINE

# GECKO

EX-PROOF LUMINAIRES



**PRPRO**

**ATEX & IECEx CERTIFIED**

**ZONES 1-21 & 2-22**

**MADE IN GERMANY**

# PRACHT RELEASES EX-PROOF LUMINAIRES



## **ATEX & IECEX CERTIFIED - MADE IN GERMANY**

High tension, watchful eyes, lightning-fast reactions - geckos know danger and are ready for any challenge. They were the inspiration for the name of the new PRACHT GECKO L, an ex-proof diffuser luminaire. Made in Germany.

The ex-proof linear lighting solutions are designed for use in hazardous areas where other luminaires cannot guarantee safe use.

The Gecko has been specially developed for hazardous areas for zones 1-21 & 2-22 - an impact resistant splinter protection, optimised thermal management and special electronics prevent flammable gases or dust from igniting.

With the ex-proof full LEDs, PRACHT also offers a future-proof and efficient alternative in brand quality with regard to the ban on fluorescent lamps in 2023.

and efficient alternative in brand quality.



**YOUR  
CONTACT**





**MORE INFO  
HERE  
PRACHT.COM/EX**

**PRACHT®**

# GECKO L

## EX-PROOF LUMINAIRES ZONES 1-21 & 2-22



### ZONE 1-21

Single luminaire, colour temperature 4000 K, R<sub>a</sub>>80, IP66\*

Art. code without TW	Art. code with TW 5 x 2,5mm <sup>2</sup>	Beam angle	Length	Lumen output	Power	Efficiency
5281112	5282112	120° wide	669 mm	2600 lm	21 W	124 lm/W
5281104	5282104	120° wide	1277 mm	3800 lm	28 W	136 lm/W
5281114	5282114	120° wide	1277 mm	4800 lm	35 W	137 lm/W
5281124	5282124	120° wide	1277 mm	6800 lm	52 W	131 lm/W


### ZONE 2-22

Single luminaire, colour temperature 4000 K, R<sub>a</sub>>80, IP66\*

Art. code without TW	Art. code with TW 5 x 2,5mm <sup>2</sup>	Beam angle	Length	Lumen output	Power	Efficiency
5281212	5282212	120° wide	669 mm	2700 lm	18 W	150 lm/W
5281204	5282204	120° wide	1277 mm	2800 lm	18 W	156 lm/W
5281214	5282214	120° wide	1277 mm	5500 lm	36 W	153 lm/W
5281224	5282224	120° wide	1277 mm	6600 lm	43 W	153 lm/W

### ACCESSORIES

Art. code	Description
EX55001	Ceiling mounting bracket set V2A
EX55002	Wall and ceiling mounting bracket set, swiveling
EX55003	Pendulum mounting set ring eye M8
EX55004	Pipe clamp 1 1/2" incl. screw M8
EX55005	Pipe clamp 2" incl. screw M8



Ceiling mounting bracket set V2A



Wall and ceiling mounting bracket set, swiveling



Pendulum mounting set ring eye M8



Pipe clamp 1 1/2" + 2" incl. screw M8

# PRACHT®

# 100

# YEARS

## SIMPLY PLAN WITH PRACHT

PRACHT-SERVICES - everything from one source, everything suitable for your planning.  
Personal availability, technical advice, support with product selection and project-related,  
individual compilation of content - that's what the PRACHT planning tools stand for.  
You will find all ULDs, required product data, formats and further planning tools at

[PRACHT.COM](http://pracht.com)

### LIGHT PLANNING DIALux | RELUX



The entire offline catalogue from PRACHT on DIALux.  
Benefit from all advantages with PRACHT as a Gold  
Member.



The entire PRACHT luminaire portfolio is  
available for your planning in RELUX.



**PREMIUM** | **MARKEN**  
Partner 

### THE PRACHT LIVE SUPPORT

The moment when you need a quick answer  
or want to discuss a technical solution - start  
consulting with the PRACHT lighting experts  
with just one click.

[www.pracht.com/kontakt/#videochat](http://www.pracht.com/kontakt/#videochat)

### PRODUCT COMPARISON

Simply compare up to 3 luminaires with their technical  
features. And the best thing about it - add the overview  
to the PINBOARD, your individual lighting folder.

### PINBOARD

All important information individually compiled in the  
light folder. Data sheets, product brochures, news and  
other content, such as the product comparison, can be  
compiled on a project-specific basis, downloaded and  
even sent as a link.



Alfred PRACHT Lichttechnik GmbH | PRACHT Lighting Solutions GmbH

Am Seerain 3 | D-35232 Dautphetal-Buchenau/Lahn | Germany | Tel: +49 6466/9140-0 | [welcome@pracht.com](mailto:welcome@pracht.com)

[pracht.com](http://pracht.com)

[video.pracht.com](http://video.pracht.com)

[www.pracht.com/ausschreibungstexte](http://www.pracht.com/ausschreibungstexte)