

PRACHT®

MESSEHIGHLIGHTS



Alle Infos und Bilder zu den Highlights gibt es hier.

LICHT FÜR DEN ALLTAG



LUNA ECO

Das Highlight für den Alltag ist unsere LUNA ECO mit Multilumen und Multicolor. Dazu ist sie digital steuerbar und mit Sensor erhältlich.

Weitere Highlights sind:

- DALI günstig für den Alltag
- Mit Sensor erhältlich
- Recyclingfähig
- Bis 154 lm/W
- Multicolor 3000 / 3500 / 4000K
- Unschlagbares Preis-Leistungs-Verhältnis

FLOODY ECO

Rechteckig. Praktisch. PRACHT. So lässt sich unser FLOODY ECO am besten beschreiben. Heimisch fühlt er sich in Werkstätten, Laderampen, Fassaden und Logistikbereichen.

Weitere Highlights sind:

- Edelstahlbügel
- 1 m Anschlussleitung
- Schwenkbar
- 3000K und 4000K verfügbar
- Präzise 100 Grad Optik
- Klimastopfen



KATLA ECO

Wie wir die KATLA ECO beschreiben? In drei Worten: Economic. Easy. Efficient. Das Allround-Wunder, wenn es darum geht, den Alltag zu erleuchten.

Weitere Highlights sind:

- DV 3x1,5 inklusive
- Variable Befestigungsabstände
- Tauschbare Elektronik
- Bis 151 lm/W
- Recyclingfähig
- Schlagfest

LICHT FÜR PROFIS

PRACHT LUNA BL ONE

Die Leuchte aus unserer BASIC LINE – dem Licht für Profis. Dank ihrem innovativen Klick-System ist sie leicht zu montieren und zu warten. Sie überzeugt mit einem Rezyklatanteil von 98 % und einer Effizienz von bis zu 180 lm/W. Sie ist bereits heute für die Anforderungen der Zukunft gerüstet.

Weitere Highlights:

- Schaltbarer HE und HO Modus
- Multilumen
- Digitale Steuerung, optional DALI
- Sensor und Multi Sensor Coupling
- Korridorfunktion mit integrierter Sensorik
- 5x2,5 DV
- REMADE SCORE von 98 %
- Hochlumentypen
- Hocheffizient und recyclingfähig
- Erhältlich in 3 Längen



LINO BL

Mit diesem Lichtbandsystem kann Komplexität auf ein Minimum reduziert werden. Dank dem Schnellmontagesystem ist es optimiert für die Lagerhaltung. Es ist modular einsatzfähig, bietet verschiedene Optiken und eine hochtransparente Abdeckung.

Weitere Highlight sind:

- Digital steuerbar, DALI & Notersatzbeleuchtung
- Multilumen und 180 lm/W
- Eine Schiene für on/off & DALI
- Modular, flexibel und simpel
- Integrierte Verbinder
- Flexible Abhängungsabstände
- IP40
- Durchgehendes Lichtbild möglich



LICHT FÜR DIE **EXTREME**

APOLLO G2 / APOLLO REMADE

Die wahrscheinlich effizienteste Leuchte der Welt überzeugt mit ihren 218 lm/W, Materialkomponenten, einem REMADE SCORE von 98 % und ihrem natürlichen Habitat, den Extremen.

Hier ein paar ausgewählte Highlights:

- Konfigurierbar
- Flexibel
- Resistent und widerstandsfähig
- Auch in schwarz erhältlich
- 1- oder 2-flammig
- Bis 30.000 lm
- 4 Abstrahlcharakteristiken
- IFS-konform
- 218 lm/W



GECKO L

Wer maximale Sicherheit durch zertifizierte Komponenten sucht, der kommt an unserer GECKO L nicht vorbei. Sie ist bis 55 Grad einsetzbar und hat eine reduzierte Oberflächentemperatur.

Weitere Highlights sind:

- ATEX und IECEx konform
- Zone 1-21 und Zone 2-22
- Nahezu in alle Staub- und Gas-Klassen einsetzbar
- IK 10, IP66, DV 5x2,5
- Rein-Raus-Verdrahtung möglich
- Konzipiert für den Austausch und Modernisierung
- Verschiedenen Befestigungsmöglichkeiten durch Zubehör

ONE CONNECT

Aus Standards entstehen Systeme. Das ist auch schon das einzige „normale“ an ONE CONNECT. Das patentierte Tauschbarkeitssystem und einen REMADESCORE von 99 % machen dieses System zum wahrscheinlich individualisierbarsten Standard der Welt.

DIE NEUE KATLA ONE

- Jede KATLA ONE verfügt über einen integrierten Dip-Switch, der Lichtstrom und Helligkeit in bis zu 4 Stufen reguliert
- Neu in 3 Leuchtenlängen erhältlich: 1 m, 1,5 m und 2 m
- Besteht zu 99% aus recyceltem Altplastik
- DV 3 x 1,5

ONE CONNECT

- ONE CONNECT individuell kombinierbar
- INFINITY-Lichtband – unendlich skalierbar
- Co-Creation – Lösung mit System
- IP 54 im System

**1. LÖSUNG
SCHAFFEN**


**2. BAUKASTEN
PRINZIP**

**3. INDIVIDUELLE
SYSTEMLÖSUNG**



PRACHT®

LIGHT & BUILDING HIGHLIGHTS



All information and pictures of the highlights can be found here.

LIGHT FOR EVERYDAY FLOODY ECO

Square. Practical. PRACHT. The best way to describe our FLOODY ECO. It feels itself at home in workshops, in loading bays, on façades and in logistics areas.

The highlights:

- Stainless steel bracket
- 1 m connection cable
- Pivotal
- Available in 3000K and 4000K
- Precise 100 degree optics
- Climate plug



LUNA ECO

Our LUNA ECO is the best solution for everyday use. Multilumen, multicolour, digitally controllable and also available with a sensor.

The highlights:

- DALI is affordable for everyday use
- Variant with sensor available
- Recyclable
- Up to 154 lm/W
- Multicolor 3000 / 3500 / 4000K
- Unbeatable price-performance ratio



KATLA ECO

How to describe the KATLA ECO in three words? Economic. Easy. Efficient. The all-round talent for light for everyday use.

The highlights:

- TW 3x1,5 mm² inclusive
- Variable mounting distances
- Exchangeable electronics
- Up to 151 lm/W
- Recyclable
- Impact resistant

LIGHT FOR THE PROFESSIONAL

PRACHT LUNA BL ONE

The PRACHT BASIC LINE - Light for professionals. Thanks to its innovative click system, it is easy to install and maintain. The luminaire scores points with its 99% recycled content and an efficiency of up to 180 lm/W. Thanks to its equipment, the PRACHT LUNA BL ONE is ready for the future.

The highlights:

- Switchable HE and HO mode
- Multilumen
- Digitally controllable, optionally with DALI
- Sensor and Multi Sensor Coupling
- The integrated motion sensor activates the luminaire when somebody is present
- TW 5x2,5 mm²
- REMADE SCORE of 98 %
- High lumen types
- Highly efficient and recyclable
- Available in 3 different lengths



LINO BL

The light band system PRACHT LINO BL minimizes complexity. The quick-assembly system makes it the ideal solution for warehousing. LINO BL is modular in use, offers different optics and a highly transparent cover.

The highlights:

- Digitally controllable, DALI and emergency lighting
- Multilumen and 180 lm/W
- One track for on/off and DALI
- Modular, flexible and easy
- Integrated connectors
- Flexible suspension distances
- IP40
- Continuous light bands possible



LIGHT FOR THE **EXTREME**

APOLLO G2 / APOLLO REMADE

Probably the most efficient luminaire in the world impresses with 218 lm/W material components, a REMADE SCORE of 98 % and its natural habitat, the extreme.

A few selected highlights:

- Configurable
- Flexible
- Resistant and durable
- Also available in black
- 1 or 2 reflectors
- Up to 30,000 lm
- 4 beam angle characteristics
- IFS certified
- 218 lm/W



GECKO L

If you are looking for maximum safety with certified components, our GECKO L is the right choice for you. The luminaire for extreme conditions can be used up to 55 degrees Celsius and has a reduced surface temperature.

Further highlights are:

- ATEX and IECEx certified
- Zone 1-21 and Zone 2-22
- Suitable for almost all dust and gas classes
- IK 10, IP66, TW 5x2,5
- In-out wiring possible
- Designed for replacement and modernization
- Various mounting options through accessories



ONE CONNECT

When standards become systems. That's the only „ordinary“ thing about ONE CONNECT. The patented interchangeability system and a REMADE SCORE of 99 % make our system probably the most customizable standard in the world.

- Each KATLA ONE has an integrated dip switch that controls luminous flux and brightness on up to 4 levels
- Now available in 3 lengths: 1 m, 1.5 m and 2 m
- Made of 99 % recycled plastic
- TW 3 x 1,5 mm²

ONE CONNECT

- ONE CONNECT individually combinable
- INFINITY lighting cable – infinitely scalable
- Co-Creation – solution with system
- IP 54 in the system

**1. CREATING
SOLUTIONS**

**2. CONSTRUCTION
KIT PRINCIPLE**

**3. INDIVIDUAL
SYSTEM SOLUTIONS**

